

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	61	dictionary with class with property	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L2	21	L1 and (class with inherit\$5 with propert \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L3	3	L2 and (identifier with point\$5 with dictionary)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L4	1	L2 and (identifier with point\$5 with class\$3 with propert\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L5	102	extract\$5 with class with property	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L6	5	L5 and (class with inherit\$5 with propert \$3 with hierarch\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L7	3	L6 and (point\$5 with class\$3 with propert \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16

L8	143	(class with inherit\$5 with propert\$3 with hierarch\$5)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L9	6	L8 and (point\$5 with class\$3 with propert \$4)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L10	24	(extract\$5 with class with property) same dictionar\$4	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L11	28	(extract\$5 with class with property) same (librar\$4 or dictionar \$4)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L12	2702	11and ((link or point \$5) with class\$3 with propert\$4)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L13	17	L11 and ((link or point \$5) with class\$3 with propert\$4)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L14	1	L13 and ((add or adding) with (data or information) with (library or dictionary))	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L15	1	L13 and ((add or adding) with (data or information) with (library or dictionary or database))	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16

L16	36	(extract\$5 with class with property) same (library\$4 or dictionary\$4 or database)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L17	20	L16 and ((link or point \$5) with class\$3 with property\$4)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L18	3	L17 and ((add or adding) with (data or information) with (library or dictionary or database))	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L19	2	"6629094".pn.	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L20	5198	extract\$4 near5 class	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L21	210	L20 and (class near5 inherit\$5 near5 class)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L22	115	L21 and (class\$3 near5 (id or identifier or number))	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L23	11	L22 and (pointer near5 (id or identifier or number))	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16

L24	27977	reference near3 (database or dictionary)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L25	698	L24 and (referencing near3 (dictionary or database))	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L26	11	L25 and (class\$3 near5 propert\$4)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L27	7	L26 and inherit\$4	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L28	6	L26 and (class\$4 with propert\$4 with inherit \$4)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L29	1403	caseof	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L30	5	L24 and caseof	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L31	2	"7333986".pn.	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16

L32	2	"5295261".pn.	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L33	5	L29 and (class\$4 near5 inherit\$4)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L34	156	second near3 class\$4 near5 inherit\$4	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L35	0	second near3 class\$4 near5 inherit\$4 near3 (database or dictionary)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L36	0	second near3 class\$4 near5 inherit\$4 near5 (database or dictionary)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L37	3	second near5 class\$4 near5 inherit\$4 near5 (database or dictionary)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L38	13	second near5 inherit\$4 near5 (database or dictionary)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L39	909	inherit\$4 near5 (database or dictionary)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16

L40	119	inherit\$4 near5 (database or dictionary) near5 class \$3	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L41	51	L40 and duplicat\$4	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L42	16	L41 and dictionary	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L43	7	L42 and (referenc\$4 near5 (database\$3 or dictionar\$4))	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L44	9	L42 not L43	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L45	70	extract\$4 near5 class near5 propert\$5	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L46	10	extract\$4 near5 class near5 propert\$5 near5 (database\$3 or dictionar\$5)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L47	2	"20040107209"	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16

L48	2	"20040162838"	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L49	1403	CaseOf	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L50	3	L49 and (class adj3 tree)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L51	6	extract\$4 with class\$4 with propert\$5 with dictionary	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L52	2	"20030105770"	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L53	2	"20060085272"	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L54	1158	extract\$4 with (class\$4 or propert\$5) with (database or dictionary)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L55	172	extract\$4 with (class\$4 or propert\$5) with (dictionary)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16

L56	26	L55 and (point\$5 with dictionar\$4)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L57	85	L55 and (output\$4 with (class\$3 or dictionar\$4))	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L58	20	L56 and (output\$4 with (class\$3 or dictionar\$4))	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L59	41	L55 and (add\$3 near5 dictionary)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L60	9	L55 and (add\$3 near5 dictionary near5 extrac\$4)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L61	42	extract\$4 near5 (class\$4 or propt\$5) near5 (dictionary)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L62	2	L61 and (scheme near5 (dictionary))	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L63	6	L61 and (schem\$4 near5 (dictionary))	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16

L64	350	extract\$4 near5 (class \$4 or propert\$5) near5 (dictionary or database)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L65	2	L64 and (scheme near5 (dictionary))	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L66	20	L64 and (schem\$4 near5 (structur\$5 or organiz\$4) near5 (database or dictionary))	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L67	1	L66 and (add\$3 near5 extract\$5)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L68	23574	extract\$4 near5 (class \$4 or propert\$5)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L69	15436	extract\$4 near3 (class \$4 or propert\$5)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L70	1099	L69 and (add\$3 near3 (class\$4 or propert\$5))	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L71	10	L69 and (add\$3 near3 (class\$4 or propert\$5) near3 dictionary)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16

L72	558	hierarch\$5 near4 dictionar\$4	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L73	43	L72 and (class\$4 near5 propert\$4)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L74	28	L73 and inherit\$4	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L75	15	L74 and extract\$4	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L76	14	L75 and add\$3	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L77	83986	extract\$4 near3 unit	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L78	8026	L77 and (add\$3 near3 unit)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L79	4396	L78 and (output near3 unit)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16

L80	3308	L79 and (input near3 unit)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L81	109	L80 and (database near3 management)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L82	3	L81 and (class near5 proper\$4)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L83	1	L81 and (class near5 identifier\$1)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L84	6	L81 and (table near5 identifier\$1)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L85	206	L80 and (dictionary)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L86	11	L81 and (dictionary)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L87	11	L81 and (dictionar\$4)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16

L88	4	L81 and (extract\$4 near5 (propert\$4 or class))	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L89	4	extract\$4 near3 unit near5 class near5 dictionar\$4	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L90	62040	database near3 management	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L91	1322	L90 and (extract\$4 near3 unit)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L92	1	L91 and (extract\$4 near3 class near4 (database or dictionary))	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L93	11	L90 and (extract\$4 near3 class near4 (database or dictionary))	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L94	88	L90 and (extract\$4 near3 class near4 (information or data or propert\$4))	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L95	6	L94 and (add\$3 near3 unit)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16

L96	1983	L90 and (class near4 (database or dictionary))	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L97	21	L90 and (unit near5 class near4 (database or dictionary))	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L98	0	L97 and (add\$3 near3 unit)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L99	5	L97 and (add\$3 near3 (database or dictionar \$4))	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L100	267	extract\$4 near5 (class or propert\$4) near5 (database or dictionar \$4)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L101	60	L100 and (database near5 management)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L102	5	L101 and (add\$4 near5 extract\$4)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L103	61	dictionary with class with property	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16

L104	21	L103 and (class with inherit\$5 with property\$3)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L105	3	L104 and (identifier with point\$5 with dictionary)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L106	1	L104 and (identifier with point\$5 with class \$3 with property\$4)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L107	102	extract\$5 with class with property	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L108	5	L107 and (class with inherit\$5 with property \$3 with hierarchy\$5)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L109	3	L108 and (point\$5 with class\$3 with property \$4)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L110	143	(class with inherit\$5 with property\$3 with hierarchy\$5)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L111	6	L110 and (point\$5 with class\$3 with property \$4)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16

L112	24	(extract\$5 with class with property) same dictionar\$4	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L113	28	(extract\$5 with class with property) same (librar\$4 or dictionar\$4)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L114	2702	11and ((link or point \$5) with class\$3 with propert\$4)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L115	17	L113 and ((link or point \$5) with class\$3 with propert\$4)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L116	1	L115 and ((add or adding) with (data or information) with (library or dictionary))	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L117	1	L115 and ((add or adding) with (data or information) with (library or dictionary or database))	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L118	36	(extract\$5 with class with property) same (librar\$4 or dictionar\$4 or database)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L119	20	L118 and ((link or point \$5) with class\$3 with propert\$4)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16

L120	3	L119 and ((add or adding) with (data or information) with (library or dictionary or database))	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L121	2	"6629094".pn.	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L122	5198	extract\$4 near5 class	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L123	210	L122 and (class near5 inherit\$5 near5 class)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L124	115	L123 and (class\$3 near5 (id or identifier or number))	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L125	11	L124 and (pointer near5 (id or identifier or number))	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L126	27977	reference near3 (database or dictionary)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L127	698	L126 and (referencing near3 (dictionary or database))	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16

L128	11	L127 and (class\$3 near5 propert\$4)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L129	7	L128 and inherit\$4	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L130	6	L128 and (class\$4 with propert\$4 with inherit \$4)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L131	1403	caseof	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L132	5	L126 and caseof	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L133	2	"7333986".pn.	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L134	2	"5295261".pn.	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L135	5	L131 and (class\$4 near5 inherit\$4)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16

L136	156	second near3 class\$4 near5 inherit\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L137	0	second near3 class\$4 near5 inherit\$4 near3 (database or dictionary)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L138	0	second near3 class\$4 near5 inherit\$4 near5 (database or dictionary)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L139	3	second near5 class\$4 near5 inherit\$4 near5 (database or dictionary)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L140	13	second near5 inherit\$4 near5 (database or dictionary)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L141	909	inherit\$4 near5 (database or dictionary)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L142	119	inherit\$4 near5 (database or dictionary) near5 class \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L143	51	L142 and duplicat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16

L144	16	L143 and dictionary	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L145	7	L144 and (referenc\$4 near\$5 (database\$3 or dictionar\$4))	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L146	9	L144 not L145	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L147	70	extract\$4 near\$5 class near\$5 propert\$5	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L148	10	extract\$4 near\$5 class near\$5 propert\$5 near\$5 (database\$3 or dictionar\$5)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L149	2	"20040107209"	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L150	2	"20040162838"	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L151	1403	CaseOf	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16

L152	3	L151 and (class adj3 tree)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L153	6	extract\$4 with class\$4 with propert\$5 with dictionary	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L154	2	"20030105770"	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L155	2	"20060085272"	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L156	1158	extract\$4 with (class\$4 or propert\$5) with (database or dictionary)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L157	172	extract\$4 with (class\$4 or propert\$5) with (dictionary)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L158	26	L157 and (point\$5 with dictionar\$4)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L159	85	L157 and (output\$4 with (class\$3 or dictionar\$4))	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16

L160	20	L158 and (output\$4 with (class\$3 or dictionary\$4))	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L161	41	L157 and (add\$3 near5 dictionary)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L162	9	L157 and (add\$3 near5 dictionary near5 extract\$4)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L163	42	extract\$4 near5 (class\$4 or property\$5) near5 (dictionary)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L164	2	L163 and (scheme near5 (dictionary))	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L165	6	L163 and (scheme\$4 near5 (dictionary))	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L166	350	extract\$4 near5 (class\$4 or property\$5) near5 (dictionary or database)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L167	2	L166 and (scheme near5 (dictionary))	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16

L168	20	L166 and (schem\$4 near5 (structur\$5 or organiz\$4) near5 (database or dictionary))	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L169	1	L168 and (add\$3 near5 extract\$5)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L170	23574	extract\$4 near5 (class \$4 or propt\$5)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L171	15436	extract\$4 near3 (class \$4 or propt\$5)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:16
L172	1099	L171 and (add\$3 near3 (class\$4 or propt\$5))	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:17
L173	10	L171 and (add\$3 near3 (class\$4 or propt\$5) near3 dictionary)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:17
L174	558	hierarch\$5 near4 dictionar\$4	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:17
L175	43	L174 and (class\$4 near5 propt\$4)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:17

L176	28	L175 and inherit\$4	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:17
L177	15	L176 and extract\$4	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:17
L178	14	L177 and add\$3	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:17
L179	83986	extract\$4 near3 unit	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:17
L180	8026	L179 and (add\$3 near3 unit)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:17
L181	4396	L180 and (output near3 unit)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:17
L182	3308	L181 and (input near3 unit)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:17
L183	109	L182 and (database near3 management)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:17

L184	3	L183 and (class near5 propert\$4)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:17
L185	1	L183 and (class near5 identifier\$1)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:17
L186	6	L183 and (table near5 identifier\$1)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:17
L187	206	L182 and (dictionary)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:17
L188	11	L183 and (dictionary)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:17
L189	11	L183 and (dictionar\$4)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:17
L190	4	L183 and (extract\$4 near5 (propert\$4 or class))	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:17
L191	4	extract\$4 near3 unit near5 class near5 dictionar\$4	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:17

L192	62040	database near3 management	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:17
L193	1322	L192 and (extract\$4 near3 unit)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:17
L194	1	L193 and (extract\$4 near3 class near4 (database or dictionary))	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:17
L195	11	L192 and (extract\$4 near3 class near4 (database or dictionary))	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:17
L196	88	L192 and (extract\$4 near3 class near4 (information or data or proper\$4))	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:17
L197	6	L196 and (add\$3 near3 unit)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:17
L198	1983	L192 and (class near4 (database or dictionary))	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:17
L199	21	L192 and (unit near5 class near4 (database or dictionary))	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:17

L200	0	L199 and (add\$3 near3 unit)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:17
L201	5	L199 and (add\$3 near3 (database or dictionar \$4))	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:17
L202	267	extract\$4 near5 (class or propert\$4) near5 (database or dictionar \$4)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:17
L203	60	L202 and (database near5 management)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:17
L204	5	L203 and (add\$4 near5 extract\$4)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/09 12:17
L205	12	hierarchical with database with upper with lower with class\$5	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/09 12:17
L206	11	hierarchical with database with upper with lower with class\$4	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/09 12:17
L207	3	L206 and (extract\$4 with class with propert \$4)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/09 12:17

L208	1	L207 and (identifier with point\$4 with dictionary)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/09 12:17
L209	1	L207 and (identifier with point\$4)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/09 12:17
L210	312	(extract\$4 with class with propert\$4)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/09 12:17
L211	13	L210 and (class\$4 with inherit\$4 with propert \$4)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/09 12:17
L212	1	L211 and (identifier with point\$4)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/09 12:17

4/9/2010 12:29:38 PM

C:\Documents and Settings\rmahmood\My Documents\EAST\Workspaces\10580271.wsp